

## **Epidural Steroid Injection (ESI) and Selective Nerve Root Block (SNRB)**

**MP9362** 

Covered Service: Yes

**Prior Authorization** 

Required: No

Additional

**Information:** None

## Prevea360 Health Plan Medical Policy:

- 1.0 Epidural steroid injections are considered not medically necessary, and therefore are non-covered for **ANY** of the following:
  - 1.1 Low back pain without additional indications
  - 1.2 Thoracic epidural steroid injections
  - 1.3 Failed back syndrome
- 2.0 Cervical and lumbar ESI does not require prior authorization and may be considered medically necessary if the member has failed at least a six (6) week trial of conservative therapy (e.g. analgesics, physical therapy, home exercise, and a strength/conditioning program) and ANY of the following:
  - 2.1 Radicular pain, as indicated by **1 or more** of the following:
    - 2.1.1 Cervical radicular pain
    - 2.1.2 Lumbar radicular pain
  - 2.2 Documented symptoms of neurogenic (or pseudo) claudication secondary to moderate or severe spinal stenosis which includes **ANY** of the following:
    - 2.2.1 Arm or leg pain
    - 2.2.2 Sensory loss
    - 2.2.3 Arm or leg weakness exacerbated with activity, and relieved with rest
  - 2.3 Documented signs or symptoms consistent with chronic radicular pain, as indicated by **1 or more** of the following:
    - 2.3.1 Diminished or absent deep tendon reflexes
    - 2.3.2 Paresthesia, numbness, sensory change, or weakness in dermatomal distribution
    - 2.3.3 Positive femoral nerve stretch test



- 2.3.4 Positive Spurling test
- 2.3.5 Positive straight leg raising test
- 3.0 Exceptions to the six (6) week trial of conservative therapy (referenced in 1.0) include the following:
  - 3.1 Pain as a result of Herpes Zoster
  - 3.2 Significant functional loss at work or home with at least moderate pain
  - 3.3 Severe pain unresponsive to outpatient medical management
  - 3.4 Member is unable to tolerate non-surgical, non-injection care due to co-existing medical condition(s)
  - 3.5 Prior injection for the same condition with at least a three (3) month duration of pain relief
- 4.0 A repeat ESI **does not require** prior authorization and may be considered medically necessary when **ALL** of the following criteria are met:
  - 4.1 At least three (3) weeks since the previous injection to permit a reasonable time period to evaluate the effectiveness.
  - 4.2 A significant improvement in pain of a least 50 percent from the previous ESI (documented in the medical record)
  - 4.3 No more than four (4) injections per level per "rolling calendar" year
- 5.0 There is no evidence in the medical literature that a series of three (3) injections provides greater efficacy than a single injection.
- 6.0 Epidural steroid injections are contraindicated with the following:
  - 6.1 Acute spinal cord compression
  - 6.2 Coagulopathy or current use of anticoagulants or antiplatelet therapy
  - 6.3 Local malignancy
  - 6.4 Local or systemic infection
- 7.0 Diagnostic selective nerve root block (SNRB) may be medically necessary for identifying the etiology of pain in members with symptoms suggestive of chronic radicular pain in **ANY** of the following clinical situations:
  - 7.1 Physical signs and symptoms differ from those found on imaging studies
  - 7.2 Clinical evidence of multi-level nerve root pathology
  - 7.3 Clinical presentation is suggestive for both nerve root and peripheral nerve or joint disease involvement
  - 7.4 Clinical findings are consistent with radiculopathy in a dermatomal distribution (level-specific referral pattern of an involved named spinal root), but the imaging studies do not corroborate the findings (positive straight leg test)



- 7.5 Member has had previous spinal surgery
- 7.6 For the purposes of surgical planning
- 8.0 Therapeutic selective nerve root block (SNRB) may be medically necessary in treatment of chronic radicular pain when noninvasive measures such as physical therapy and medication have failed and **ALL** of the following criteria are met:
  - 8.1 At least two (2) weeks since the previous SNRB to permit a reasonable time period to evaluate the effectiveness; **AND**
  - 8.2 No more than three (3) SNRB's per level every six (6) months



	Committee/Source	Date(s)
Document		
Created:	Utilization Management Committee/ Medical Affairs	June 13, 2007
Revised:	Utilization Management Committee/ Medical Affairs Utilization Management Committee/ Medical Affairs Medical Director Committee/Medical Affairs Medical Director Committee/Medical Affairs Medical Director Committee/Medical Affairs Medical Policy Committee/Quality and Care Management Division Medical Policy Committee/Health Services Division	September 12, 2007 January 16, 2008 September 28, 2011 May 21, 2014 August 20, 2014 July 19, 2017 April 17, 2019 August 21, 2019 August 18, 2021 November 17, 2021
	Medical Policy Committee/Health Services Division	September 20, 2023
Reviewed:	UM Committee (UMC)/Director UM/UMC Chair Medical Director Committee/Medical Affairs Medical Policy Committee/Quality and Care Management Division Medical Policy Committee/Quality and Care Management Division Medical Policy Committee/Health Services Division	March 12, 2008 August 15, 2012 July 17, 2013 May 21, 2014 July 16, 2014 August 20, 2014 July 15, 2015  July 20, 2016  July 19, 2017 April 17, 2019 August 21, 2019 August 19, 2020 August 18, 2021 November 17, 2021 March 15, 2023
	Medical Policy Committee/Health Services Division	September 20, 2023
Deleted:	UM Committee (UMC)/Director UM/UMC Chair	September 10, 2008
Reinstated and		
Revised:	Medical Director Committee/Medical Affairs	September 28,2011

Published: 12/01/2023 Effective: 12/01/2023